

ELECTRIC CURRENT DENSITY

# Electricity and Magnetism

ELECTRIC CURRENT DENSITY

by  
R. Young

1. Introduction .....	1
2. Objectives .....	1
3. Procedures .....	2
4. Supplementary Notes	
a. Problem 7-3 .....	3
b. Answers to Assigned Problems .....	4
Acknowledgments .....	4

THIS IS A DEVELOPMENTAL-STAGE PUBLICATION  
OF PROJECT PHYSNET

Title: **Electric Current Density**

Author: R.D. Young, Dept. of Physics, Ill. State Univ.

Version: 10/18/2001

Evaluation: Stage B0

Length: 1 hr; 8 pages

**Input Skills:**

1. Vocabulary: thermal equilibrium (MISN-0-157), inelastic collision, thermal gradient, hydrodynamic motion, mass transport, valence electrons, steady state.
2. Given dielectric media in conjunction with conducting surfaces, use appropriate boundary conditions to determine the potential, electric field and displacement in the media (MISN-0-507).
3. Determine the capacitance per unit length of a pair of long, coaxial, cylindrical conducting shells (MISN-0-135).

**Output Skills (Knowledge):**

- K1. Vocabulary: drift motion, thermal motion, conduction current, convection current, resistivity, conductivity, resistance.
- K2. State the definition of the current density both in terms of macroscopic quantities only and microscopic quantities only.
- K3. State the continuity equation that expresses the conservation of charge.
- K4. State Ohm's law both in terms of current density and electric field and in terms of potential difference and current.

**Output Skills (Problem Solving):**

- S1. Given a conducting medium bounded by known potential surfaces, use Ohm's law to calculate the current density, current per unit length, or current in the medium, and the resistance or resistance per unit length of the medium.

**External Resources (Required):**

1. J. Reitz, F. Milford and R. Christy, *Foundations of Electromagnetic Theory*, 4th Edition, Addison-Wesley (1993).

The goal of our project is to assist a network of educators and scientists in transferring physics from one person to another. We support manuscript processing and distribution, along with communication and information systems. We also work with employers to identify basic scientific skills as well as physics topics that are needed in science and technology. A number of our publications are aimed at assisting users in acquiring such skills.

Our publications are designed: (i) to be updated quickly in response to field tests and new scientific developments; (ii) to be used in both classroom and professional settings; (iii) to show the prerequisite dependencies existing among the various chunks of physics knowledge and skill, as a guide both to mental organization and to use of the materials; and (iv) to be adapted quickly to specific user needs ranging from single-skill instruction to complete custom textbooks.

New authors, reviewers and field testers are welcome.

PROJECT STAFF

Andrew Schnepf	Webmaster
Eugene Kales	Graphics
Peter Signell	Project Director

ADVISORY COMMITTEE

D. Alan Bromley	Yale University
E. Leonard Jossem	The Ohio State University
A. A. Strassenburg	S. U. N. Y., Stony Brook

Views expressed in a module are those of the module author(s) and are not necessarily those of other project participants.

© 2001, Peter Signell for Project PHYSNET, Physics-Astronomy Bldg., Mich. State Univ., E. Lansing, MI 48824; (517) 355-3784. For our liberal use policies see:

<http://www.physnet.org/home/modules/license.html>.

## ELECTRIC CURRENT DENSITY

by  
R. Young

### 1. Introduction

This unit is involved with electric current. After defining electric current and discussing the nature of electric current, the electric current density  $\vec{J}(\vec{r})$  is defined. The electric current density  $\vec{J}(\vec{r})$  so defined is another vector field which enters directly into the differential equations of electromagnetic theory, that is, Maxwell's equations. One of these differential equations, the equation of continuity, which is essentially a statement of the conservation of electric charge, relates the current density  $\vec{J}(\vec{r}, t)$  and the charge density  $\rho(\vec{r}, t)$ .

$$\frac{\partial \rho}{\partial t} + \vec{\nabla} \cdot \vec{J} = 0.$$

Notice that an explicit time dependence is included in the current and charge density.

### 2. Objectives

You should be able to do each of the following without the aid of books or notes except where explicitly indicated otherwise:

1. Write down a definition or explanation in one or two sentences, using an explanatory equation where appropriate, for each of the following terms and concepts:

Drift motion  
Thermal motion  
Resistivity,  $\eta$   
Resistance,  $R$   
Conduction current  
Convection current  
Conductivity,  $g(\vec{E})$

2. Write down the definition of the current density  $\vec{J}$  in terms of macroscopic quantities as in Eq. 7-5 and microscopic quantities as in Eq. 7-4. Write down the equation of continuity (Eq. 7-9) which expresses the principle of conservation of charge. Write down the empirical relation known as Ohm's law both in terms of the electric field  $\vec{E}$  and current density  $\vec{J}$  (Eq. 7-10) and in terms of potential difference  $\Delta V$  and current  $I$  (Eq. 7-15).
3. Solve simple problems involving the above concepts and laws. The problems are listed in the Procedures below.

### 3. Procedures

1. Read Sections 7-1 through 7-3 in the text, including the introduction to Chapter 7. Write down or underline in the text the definitions or explanations of the following terms or concepts:

Drift motion  
Thermal motion  
Conduction current  
Convection current

These concepts are explained in the text. Also, write down or underline in the text the definitions or explanations of the following terms or concepts:

Conductivity,  $g(\vec{E})$   
Resistivity,  $\eta$   
Resistance,  $R$

2. Write down or mark in the text each of the following:


Definition of current density  $\vec{J}$  in terms of macroscopic quantities (Eq. 7-5)  
Definition of current density  $\vec{J}$  in terms of microscopic quantities (Eq. 7-4)  
Equation of continuity (Eq. 7-9)  
Ohm's law in terms of  $\vec{J}$  and  $\vec{E}$  (Eq. 7-10)  
Ohm's law in terms of  $\Delta V$  and  $I$  (Eq. 7-15)

Be able to explain all quantities and symbols which appear in these definitions, etc.

3. Read the Supplementary Notes for an example of the types of problems you must solve in Procedure 4.
4. Solve the following problems: Problem 7-7, 7-8, 7-10

#### 4. Supplementary Notes

##### 4a. Problem 7-3.



Find: Potential at interface,  $x=a$ .

At steady state,  $\partial\rho/\partial t = 0 \implies \vec{\nabla} \cdot \vec{J} = 0$ . This condition on  $\vec{J}$  can be used to show that the normal component of  $\vec{J}$  is continuous across the interface. So,

$$J_{1n} = J_{2n}. \quad (1)$$

The proof is the same as outlined in Sec. 4-7 of the text for the displacement vector  $\vec{D}$ . From Ohm's law,  $\vec{\nabla} \cdot \vec{J} = 0 \implies \vec{\nabla} \cdot \vec{E} = 0$ . At steady state,  $\vec{E} = -\vec{\nabla}V$  so that  $\vec{\nabla} \cdot \vec{E} = 0 \implies \nabla^2 V = 0$ . So  $V$  can be written as:

$$\begin{aligned} V_1(x) &= \alpha_1 x + \beta_1, \\ V_2(x) &= \alpha_2 x + \beta_2, \end{aligned}$$

where

$$\begin{aligned} V_1(x=0) &= V_1, & V_1(x=a) &= V_2(x=a) = V_3, \\ V_2(x=d) &= V_2. \end{aligned}$$

Thus,

$$\begin{aligned} V_1 &= \beta_1, \\ V_3 &= \alpha_1 a + V_1 = \alpha_2 a + \beta_2 \\ V_2 &= \alpha_2 d + \beta_2. \end{aligned}$$

These equations can be easily solved for  $\alpha_1$ ,  $\alpha_2$ ,  $\beta_1$  and  $\beta_2$  to get:

$$\begin{aligned} V_1(x) &= \frac{V_3 - V_1}{a} x + V_1, \\ V_2(x) &= \frac{V_2 - V_3}{d - a} x + V_3. \end{aligned}$$

Thus,

$$E_1(x) = -\frac{V_3 - V_1}{a}; \quad E_2(x) = -\frac{V_2 - V_3}{d - a}. \quad (2)$$

But,  $J_{1n} = g_1 E_1$  and  $J_{2n} = g_2 E_2$ . So, Eqs. (1) and (2) give:

$$\begin{aligned} g_1 E_1 &= g_2 E_2, \\ g_1 \frac{V_3 - V_1}{a} &= g_2 \frac{V_2 - V_3}{d - a}, \\ \implies V_3 &= \frac{V_1 g_1 (d - a) + V_2 g_2 a}{g_1 (d - a) + g_2 a}. \end{aligned}$$

You can calculate the free charge density on the interface from

$$D_{1n} - D_{2n} = \sigma.$$

**4b. Answers to Assigned Problems.** 7-8:  $\eta = 2.7 \times 10^{-12} \Omega \text{m}$

7-10:  $\vec{J} = -\frac{g\phi_0}{R} (\hat{r} \cos \theta - \hat{\theta} \sin \theta)$ , for a sphere of radius  $R$ .

#### Acknowledgments

The author would like to thank Illinois State University for support in the construction of this lesson. Preparation of this module was supported in part by the National Science Foundation, Division of Science Education Development and Research, through Grant #SED 74-20088 to Michigan State University.